

Technical Data Sheet

CODE 11104

MG 150/6" LL

In-line axial fans



Certifications



IMQ



CE



IMQ Performance



EAC



G-Mark




UKCA

TECHNICAL AND PERFORMANCE DATA

| | | | |
|---|-----------------|-----------------------------------|------|
| Frequency (Hz) | 50 | Weight (Kg) | 0,80 |
| Insulation class | II ^o | Max airflow (l/s) | 88,9 |
| IP | X4 | Max airflow (m ³ /h) | 320 |
| Max absorbed current (A) | 0,18 | Max pressure (mmH ₂ O) | 7,0 |
| Max absorbed power (W) | 29 | Max pressure (Pa) | 69 |
| Max ambient temperature for continuous operation (°C) | 50 | RPM | 2200 |
| Voltage (V) | 220-240 | Sound pressure Lp [dB (A)] at 3 m | 48 |

DIMENSIONS



| | |
|-------------|-----|
| Size A (mm) | ∅ |
| Size B (mm) | 155 |
| Size C (mm) | 110 |
| Size C (mm) | 107 |

PER INFORMAZIONI / FOR INFORMATION

ITALY

Pre Sales:

prevendita@vortice-italy.com

After Sales:

postvendita@vortice-italy.com

UNITED KINGDOM & REP. OF

IRELAND

Sales Dept:

sales@vortice.ltd.uk

Technical Dept:

technical@vortice.ltd.uk

OTHER COUNTRIES

Sales Dept:

export@vortice-italy.com

After Sales:

after-sales@vortice-italy.com

Technical Data Sheet

CODE 11104

MG 150/6" LL

In-line axial fans



DESCRIPTION

- Material: UV resistant plastic (prevents ageing caused by exposure to sunlight).
- Nominal diameter 150 mm.
- Motor protected against thermal overload, with shaft turning in ball bearings (LL), coupled to screw type thermoplastic impeller with wing profile blades.
- Maximum air flow: 320 m³/h.
- IMQ SAFETY and IMQ PERFORMANCE certifications
- Vortice speed controllers.

ACCESSORIES



C 1.5
(COMANDO EL.
1.5 A)

Code 12966



SCNRB
SCAT.COM.NON
REV.INCASSO

Code 12971



TUBO
TELESCOPICO
D.150

Code 22258



STAFFA PER
SOTTOTETTO/SOFFITTO
D.150

Code 22261

PER INFORMAZIONI / FOR INFORMATION

ITALY

Pre Sales:
prevendita@vortice-italy.com
After Sales:
postvendita@vortice-italy.com

UNITED KINGDOM & REP. OF IRELAND

Sales Dept:
sales@vortice.ltd.uk
Technical Dept:
technical@vortice.ltd.uk

OTHER COUNTRIES

Sales Dept:
export@vortice-italy.com
After Sales:
after-sales@vortice-italy.com