

Technical Data Sheet

CODE 61742

NORDIK INTERNATIONAL PLUS-R 140/56"IPX5



Ceiling fans



Certifications



IMQ



CE




EAC

TECHNICAL AND PERFORMANCE DATA

Fan diameter	1422	Voltage (V)	220-240
Frequency (Hz)	50/60*	Weight (Kg)	6,70
Insulation class	I°	Max airflow (m ³ /h)	13500
IP	X5	Max airflow (m ³ /min)	225,00
Max absorbed current (A)	0,33	Max flow speed (m/s)	1,69
Max absorbed power (W)	70	RPM	231
Motor power (W)	70	Service value (m ³ /min)/W	3,214
		Sound power Lw [dB(A)]	52,1

DIMENSIONS



Size A (mm)	∅ 1422
Size B (mm)	∅ 230
Size C (mm)	495

PER INFORMAZIONI / FOR INFORMATION

ITALY

Pre Sales:

prevendita@vortice-italy.com

After Sales:

postvendita@vortice-italy.com

UNITED KINGDOM & REP. OF

IRELAND

Sales Dept:

sales@vortice.ltd.uk

Technical Dept:

technical@vortice.ltd.uk

OTHER COUNTRIES

Sales Dept:

export@vortice-italy.com

After Sales:

after-sales@vortice-italy.com

Technical Data Sheet

CODE 61742

NORDIK INTERNATIONAL PLUS-R 140/56"IPX5



Ceiling fans

DESCRIPTION

- Nominal diameter of blades 1400 mm
- Top and bottom motor covers moulded from heat-resistant and UV-resistant thermoplastic resin (ABS), colour white
- Wiring connections at end of ceiling rod concealed by domes moulded from impact- and UV-resistant PP, colour white.
- Single phase start capacitor motor with external rotor, and shaft turning in ball bearings. Direction of rotation reversible.
- Maximum air flow: 13,500 m³/h.
- 3 galvanized sheet steel blades powder coated with scratch-resistant polyester, colour white.
- Steel ceiling rod with polyester powder coated finish, colour white, length 375 mm.
- Bag of accessories containing nuts and bolts required for assembly of blades, ceiling hook and rubber anti-vibration washer.
- Speed selectable by way of control units (optional)
- Enclosure rating IPX5 ensuring complete protection from water spray.

ACCESSORIES



SCRR5

Code 12963



SCRR/M

Code 12965



KIT

SCBRR5/5L/M

Code 22489



SC 503 B

Code 12801



SC 503 N

Code 12802



SC EXT B

Code 12803



PSC-B

Code 22463



PSC-W

Code 22462



ASTA NK I 200

BIANCA

Code 22032



ASTA NK I 250

BIANCA

Code 22033



ASTA NK I 350

BIANCA

Code 22042

PER INFORMAZIONI / FOR INFORMATION

ITALY

Pre Sales:
prevendita@vortice-italy.com
After Sales:
postvendita@vortice-italy.com

UNITED KINGDOM & REP. OF

IRELAND

Sales Dept:
sales@vortice.ltd.uk
Technical Dept:
technical@vortice.ltd.uk

OTHER COUNTRIES

Sales Dept:
export@vortice-italy.com
After Sales:
after-sales@vortice-italy.com

ASTA NK I 500

BIANCA

Code 22051

ASTA NK I 750

BIANCA

Code 22074

ASTA NK I 1000

BIANCA

Code 22077

VORT DELTA T

Code 13039