

ENERGY DATA

CODE 16183

CA 150 MD E RF

Centrifugal duct fans for roof mounting



| ATTRIBUTO | VALORE ATTRIBUTO |
|---------------------------------------------------------------------------|-------------------------|
| Supplier's name or trade mark | Vortice |
| Declared type | UVNR-U |
| Type of drive | a velocità multiple: VM |
| Type of heat recovery system HRS | nessuno |
| AEC annual electric energy consumption (kWh of primary energy/y) | 523,98 |
| Thermal efficiency of heat recovery (%) | NA |
| Nominal NRVU airflow (m ³ /s) | 0,10822 |
| Effective electric power input [kW] | 0,069 |
| Face velocity at nominal flowrate (m/s) | 13,77928 |
| Nominal external pressure (Pa) | 42 |
| Internal pressure drop of ventilation components (Pa) | 192 |
| Internal pressure drop of non-ventilation components (Pa) | 0 |
| Fan static efficiency according to Regulation (EU) No 327/2011 (%) | 36,7 |
| Declared maximum internal leakage rate of the ventilation unit casing (%) | NA |
| Declared maximum external leakage rate of the ventilation unit casing (%) | NA |
| Filter energy performance or classification | NA |
| Description of visual filter warning | NA |
| Casing sound power level (LWA) [dB(A)] | 69,8 |